



## Where work happens.

No one ever said that security had to be boring. The Latitude 7000 Series is the world's most secure Ultrabook<sup>™</sup> and also happens to be one of the world's most beautiful.

It's built with premium materials, such as woven carbon fiber, and loaded with industry-leading security including comprehensive encryption, advanced authentication and malware prevention. Now, you don't have to choose between beautiful design and superior security.

The new Latitude 7000 Series laptop is thinner and lighter than ever, available in a 12.5-inch or 14-inch screen size, and features the latest 6th generation Intel<sup>®</sup> Core<sup>™</sup> vPro<sup>™</sup> processors.

It's equipped with the ultimate tools to enable mobile professionals to stay productive anywhere, anytime. As with previous generations, the Latitude 7000 Series is the only Ultrabook<sup>™</sup> designed to be compatible with an existing laptop (E-family) docking station. Also, enjoy the choice of WiGig technology for seamless connectivity and a desktop free of wires for ultimate at the desk productivity.

And, backed by 24/7 access to enterprise-class support with optional Dell ProSupport™ Plus, we've got you covered, all the time.

| Feature   | Technical Specifications   |   |  |
|---|--|---|--|
| Model Number                                      | Latitude 12 7000 Series (E7270)  | Latitude 14 7000 Series (E7470)   |  |
| Processor Options <sup>1</sup>                    | 6th Generation Intel <sup>®</sup> Core™ up to i7 processors  | 6th Generation Intel® Core™ up to i7 processors   |  |
| Operating System <sup>1,2</sup>                   | Microsoft® Windows® 7 Professional 32/64 bit<br>Microsoft® Windows® 7 Professional 32/64-bit (available<br>through downgrade rights from Windows® 8.1 Pro 64-bit)<br>Microsoft® Windows® 8.1, Pro, Single Language, 64-bit<br>Microsoft® Windows® 8.1 Pro 64-bit (available through<br>downgrade rights from Windows® 10 64-bit)<br>Microsoft® Windows® 10 Home, Home Single Language,<br>Pro 64 bit<br>UBUNTU Linux 14.04 LTS SP1 64-bit<br>NeoKylin v6.0 32 bit  | Microsoft <sup>®</sup> Windows <sup>®</sup> 7 Professional 32/64 bit<br>Microsoft <sup>®</sup> Windows <sup>®</sup> 7 Professional 32/64-bit (available<br>through downgrade rights from Windows <sup>®</sup> 8.1 Pro 64-bit)<br>Microsoft <sup>®</sup> Windows <sup>®</sup> 8.1, Pro, Single Language, 64-bit<br>Microsoft <sup>®</sup> Windows <sup>®</sup> 8.1 Pro 64-bit (available through<br>downgrade rights from Windows <sup>®</sup> 10 64-bit)<br>Microsoft <sup>®</sup> Windows <sup>®</sup> 10 Home, Home Single Language,<br>Pro 64 bit<br>UBUNTU Linux 14.04 LTS SP1 64-bit<br>NeoKylin v6.0 32 bit   |  |
| Memory Options1,2,3                               | DDR4 SDRAM 2133MHz; 2 slots supporting up to 16GB  | DDR4 SDRAM 2133MHz; 2 slots supporting up to 16GB   |  |
| Chipset <sup>1</sup>                              | Integrated in the processor  | Integrated in the processor   |  |
| Intel Responsiveness<br>Technologies <sup>1</sup> | Intel Rapid Storage Technology <sup>7</sup>  | Intel Rapid Storage Technology <sup>7</sup>   |  |
| Graphics <sup>1</sup>                             | Intel® Integrated HD Graphics 520  | Intel <sup>®</sup> Integrated HD Graphics 520<br>Optional Intel <sup>®</sup> Integrated HD Graphics 540   |  |
| Display <sup>1</sup>                              | 12.5" HD (1366 x 768) Anti Glare (16:9) WLED, 200 nits,<br>Magnesium Alloy LCD back<br>12.5" FHD (1920 x 1080) Anti Glare (16:9) WLED, 300 nits,<br>Magnesium Alloy LCD back<br>12.5" FHD Touch with Corning® Gorilla® Glass NBT, (1920<br>x 1080) Anti Finger Print (16:9), WLED, 360 nits, Woven<br>Carbon Fiber LCD back  | 14.0" HD (1366 x 768) Anti Glare (16:9) WLED, 200 nits,<br>Magnesium Alloy LCD back<br>14.0" HD+ (1600 x 900) Anti Glare (16:9) WLED, 250 nits,<br>Magnesium Alloy LCD back<br>14.0" FHD (1920 x 1080) Anti Glare (16:9) WLED, 300 nits,<br>Magnesium Alloy LCD back<br>14.0" QHD Touch with Corning® Gorilla® Glass NBT (2560<br>x 1440) Anti Finger Print (16:9) WLED, 270 nits, Woven<br>Carbon Fiber LCD back   |  |
| Storage Options <sup>15</sup>                     | M.2 Form factor -<br>Upto 512GB SATA SSD<br>Upto 512GB PCIe NVMe SSD<br>Upto 512GB SED SSD   | M.2 Form factor -<br>Upto 512GB SATA SSD<br>Upto 512GB PCIe NVMe SSD<br>Upto 512GB SED SSD  |  |
| Security <sup>1</sup>                             | TPM 1.2 - FIPS 140-2 and TCG certified (Windows 7, 8.1<br>and 10) <sup>18</sup><br>TPM 2.0 FIPS 140-2 and TCG Certified (Spring of 2016)<br>(Windows 10 only) <sup>18</sup><br>Optional Touch Finger Print Reader, Contacted FIPS 201<br>Smart Card Reader, Contactless Smart Card Reader/NFC<br>with FIPS 140-2 Level 3 (Spring 2016) Dell Control Vault 2 <sup>TM</sup><br>Optional Contacted FIPS 201 Smart Card Reader<br>with Control Vault 2 FIPS 140-2 Level 3 (Spring 2016)<br>Certification<br>Optional Hardware Crypto Accelerator (HCA) FIPS 140-2<br>Level 3 Certification<br>Optional Computrace <sup>6</sup><br>DDP Security Tools<br>DDP Protected Workspace (1 year subscription included)<br>Optional DDP Encryption Software<br>Optional DDP Endpoint Security Software<br>Lock Slot | TPM 1.2 - FIPS 140-2 and TCG certified (Windows 7, 8.1<br>and 10) <sup>18</sup><br>TPM 2.0 FIPS 140-2 and TCG Certified (Spring of 2016)<br>(Windows 10 only) <sup>18</sup><br>Optional Touch Finger Print Reader, Contacted FIPS 201<br>Smart Card Reader, Contactless Smart Card Reader/NFC<br>with FIPS 140-2 Level 3 (Spring 2016) Dell Control Vault 2 <sup>TM</sup><br>Optional Contacted FIPS 201 Smart Card Reader<br>with Control Vault 2 FIPS 140-2 Level 3 (Spring 2016)<br>Certification<br>Optional Hardware Crypto Accelerator (HCA) FIPS 140-2<br>Level 3 Certification<br>Optional Computrace <sup>6</sup><br>DDP Security Tools<br>DDP Protected Workspace (1 year subscription included)<br>Optional DDP Encryption Software<br>Optional DDP Encryption Software<br>Lock Slot |  |
| Docking Options <sup>1</sup>                      | EDocking<br>Dell Wireless Dock <sup>8</sup>  | EDocking<br>Dell Wireless Dock <sup>8</sup>   |  |
| Optical Drive Options                             | External Options Only  | External Options Only   |  |
| Multimedia <sup>1</sup>                           | High Quality Speakers<br>Headset/mic combo jack<br>Optional, noise reducing array microphones<br>Optional HD or FHD video webcam   | High Quality Speakers<br>Headset/mic combo jack<br>Optional, noise reducing array microphones<br>Optional HD or FHD video webcam  |  |
| Battery Options <sup>1</sup>                      | 37 Whr <sup>17</sup> ExpressCharge Capable (3-cell) (prismatic)<br>55 Whr <sup>17</sup> ExpressCharge Capable (4-cell) (polymer)<br>Optional long life cycle battery   | 37 Whr <sup>17</sup> ExpressCharge Capable (3-cell) (prismatic)<br>55 Whr <sup>17</sup> ExpressCharge Capable (4-cell) (polymer)<br>Optional long life cycle battery  |  |
| Power Options <sup>1</sup>                        | E5 65 Watt Adapter<br>E5 65 Watt Rugged Adapter - India<br>E5 90 Watt AC Adapter   | E5 65 Watt Adapter<br>E5 65 Watt Rugged Adapter - India<br>E5 90 Watt AC Adapter  |  |

| Feature  | Technical Specifications   |   |
|--|--|---|
| Series/Model Number  | Latitude 12 7000 Series (E7270)  | Latitude 14 7000 Series (E7470)   |
| Connectivity options <sup>1,14,15</sup>                    | 10/100/1000 Gigabit Ethernet<br>Wireless LAN Options:<br>No WLAN option<br>Dell Wireless™ 1820A Dual-Band Wireless-AC + BT 4.1 (2x2)<br>Dell Wireless™ 1820 802.11AC Dual-Band Wi-Fi + BT 4.1<br>Wireless Card (2x2)<br>Dell Wireless™ 1830 802.11AC Dual Band High Speed<br>Wi-Fi + BT 4.1LE (3x3)<br>Intel® Dual-Band Wireless-AC 8260 Wi-Fi Wireless Card<br>(No BT) (2x2)<br>Intel® Dual-Band Wireless-AC 8260 Wi-Fi + BT 4.1<br>Wireless Card<br>Optional WiGig Option:<br>Intel® Tri-Band Wireless-AC 18260 WiGig + Wi-Fi + BT4.1<br>Wireless Card<br>Optional Mobile Broadband Options: <sup>10</sup><br>Qualcomm® Snapdragon™ X7 LTE (DW5811) for AT&T,<br>Verizon & Sprint, US. (NA)<br>Qualcomm® Snapdragon™ X7 LTE (DW5811) (EMEA/APJ/<br>ROW)<br>Qualcomm® Snapdragon™ X7 HSPA+ (DW5811) (China/<br>Indonesia) | 10/100/1000 Gigabit Ethernet<br>Wireless LAN Options:<br>No WLAN option<br>Dell Wireless™ 1820A Dual-Band Wireless-AC + BT 4.1 (2x2)<br>Dell Wireless™ 1820 802.11AC Dual-Band Wi-Fi + BT 4.1<br>Wireless Card (2x2)<br>Dell Wireless™ 1830 802.11AC Dual Band High Speed<br>Wi-Fi + BT 4.1LE (3x3)<br>Intel® Dual-Band Wireless-AC 8260 Wi-Fi Wireless Card<br>(No BT) (2x2)<br>Intel® Dual-Band Wireless-AC 8260 Wi-Fi + BT 4.1<br>Wireless Card<br>Optional WiGig Option:<br>Intel® Tri-Band Wireless-AC 18260 WiGig + Wi-Fi + BT4.1<br>Wireless Card<br>Optional Mobile Broadband Options: <sup>10</sup><br>Qualcomm® Snapdragon™ X7 LTE (DW5811) for AT&T,<br>Verizon & Sprint, US. (DAO)<br>Qualcomm® Snapdragon™ X7 LTE (DW5811) (EMEA/APJ/<br>ROW)<br>Qualcomm® Snapdragon™ X7 HSPA+ (DW5811) (China/<br>Indonesia) |
| Ports, Slots & Chassis <sup>1</sup>                        | Universal Jack<br>SD 4.0 Memory card reader<br>Edocking connector, 3 USB 3.0 (one with PowerShare),<br>HDMI, mDP<br>Network connector (RJ-45), SIM card slot<br>3 x M.2 expansion slots: 1 SSD ,1 WWAN/HCA and 1<br>WLAN/BT/WiGig<br>Optional SmartCard Reader and optional Fingerprint<br>Reader<br>Lock slot   | Universal Jack<br>SD 4.0 Memory card reader<br>Edocking connector, 3 USB 3.0 (one with PowerShare),<br>HDMI, mDP<br>Network connector (RJ-45), SIM card slot<br>3 x M.2 expansion slots: 1 SSD ,1 WWAN/HCA and 1<br>WLAN/BT/WiGig<br>Optional SmartCard Reader and optional Fingerprint<br>Reader<br>Lock slot  |
| Dimensions & Weight <sup>1,16</sup>                        | Width: 12.22" / 310.5mm<br>Height: .74" / 18.85mm (non-Touch)<br>Depth: 8.47" / 215.15mm<br>Starting weight: 2.77lbs / 1.26kg (3-cell, FHD Non-Touch<br>with Camera, M.2 SSD)  | Width: 13.19" / 334.9mm<br>Height: .76" / 19.4mm<br>Depth: 9.13" / 232mm<br>Starting weight: 3.32lbs / 1.50kg (3-cell, HD non-<br>touch,M.2 SSD)  |
| Regulatory and<br>Environmental<br>Compliance <sup>1</sup> | Regulatory Model: P26S<br>Regulatory Type: P26S001<br>ENERGY STAR 6.1<br>TAA configurations available<br>EPEAT Registered. For specific country participation and<br>rating, please see www.epeat.net<br>BFR/PVC free <sup>9</sup>   | Regulatory Model: P61G<br>Regulatory Type: P61G001<br>ENERGY STAR 6.1<br>TAA configurations available<br>EPEAT Registered. For specific country participation and<br>rating, please see www.epeat.net<br>BFR/PVC free <sup>9</sup>  |
| Input <sup>1</sup>   | Single Pointing non-backlit Keyboard<br>Single Pointing backlit Keyboard<br>Multi-touch Touchpad   | Single Pointing non-backlit Keyboard<br>Dual Pointing backlit Keyboard<br>Multi-touch Touchpad  |
| Systems Management <sup>1</sup>                            | Intel® vPro <sup>TM</sup> Technology (iAMT 11.0) (optional, requires<br>Intel WiFi® Link WLAN and a vPro compatible processor),<br>Dell Client Command Suite available (dell.com/command),<br>Factory Installed Dell Client Command   Update, Factory<br>Installed Dell Command   Power Manager  | Intel® vPro™ Technology (iAMT 11.0) (optional, requires<br>Intel WiFi® Link WLAN and a vPro compatible processor),<br>Dell Client Command Suite available (dell.com/command),<br>Factory Installed Dell Client Command   Update, Factory<br>Installed Dell Command   Power Manager  |
| Warranty and Service <sup>1</sup>                          | Limited Hardware Warranty <sup>4</sup> ; Standard 1 year Mail-in<br>Service after Remote Diagnosis <sup>11</sup> ; optional 3 year, 4 year<br>and 5 year hardware warranty extensions and 3-5 year<br>Dell ProSupport contracts available. <sup>12</sup>   | Limited Hardware Warranty <sup>4</sup> ; Standard 1 year Mail-in<br>Service after Remote Diagnosis <sup>11</sup> ; optional 3 year, 4 year<br>and 5 year hardware warranty extensions and 3-5 year<br>Dell ProSupport contracts available. <sup>12</sup>  |
| Peripheral Ecosystem <sup>1</sup>                          | Dell E-Port Replicator, Dell UltraSharp 24 Monitor, Dell<br>Wireless Keyboard & Mouse, Dell Mini DisplayPort to<br>VGA Adapter, Dell Premier Briefcase, Dell Portable Power<br>Companion   | Dell E-Port Replicator, Dell UltraSharp 24 Monitor, Dell<br>Wireless Keyboard & Mouse, Dell Mini DisplayPort to<br>VGA Adapter, Dell Premier Briefcase, Dell Portable Power<br>Companion  |

<sup>16</sup> Weights vary depending on configuration and manufacturing variability.
<sup>17</sup> The stated Watt Hour (WHr) is not an indication of battery life.
<sup>18</sup> Field upgradable from FIPS 140-2 Certified TPM 1.2

 <sup>&</sup>lt;sup>1</sup> Offering may also vary by country and by configuration
<sup>2</sup> A 64-bit operating system is required to support 4GB or more of system memory.
<sup>3</sup> GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
<sup>4</sup> Limited Hardware Warranty: For copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see
<sup>5</sup> GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
<sup>6</sup> COMPUTRACE Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.absolute.com/en/about/legal/agreements.
<sup>7</sup> Intel Rapid Storage Technology requires a HDD, mSATA, or an SSD, as primary storage device and Windows OS required
<sup>8</sup> Dell Wireless Dock requires optional installed Intel<sup>®</sup> Tri-Band Wireless-AC 18260 WiGig + Wi-Fi + 18 T4.1 Wireless Card and WiGig antenna available only at the time of purchase.
<sup>9</sup> Dell Latitude 7000 Series are brominated flame retardant free (BFR-free) and polyvinyl chloride free (PVC-free); meeting the definition of BFR-/PVC-free as set forth in the iNEMI Position Statement on the 'Definition of Low-Halogen Electronics (BFR-/CFR-/PVC-free). Plastic parts contain less than 1,000 ppm (0.1%) of bromine (if the B rsource is from BFRs) and less than 1,000 ppm (0.1%) of bromine (if the Draw and FOC express). All printed circuit board (PCB) and ubstrate Jamingtes contain browing-/chlorine total less than 1,000 ppm (0.1%) of bromine (if the B rsource is from BFRs) and less than 1,000 ppm (0.1%) of bromine (if the B rsource is from BFRs) and less than 1,000 ppm (0.1%) of bromine (if the B rsource is from BFRs) and less than 1,000 ppm (0.1%) of bromine (if the DF source is from BFRs) and less than 1,000 ppm (0.1%) of bromine (if the DF source is from B

on the 'Definition of Low-Halogen Electronics (BFR-/CFR-/PVC-free)'. Plastic parts contain less than 1,000 ppm (0.1%) of bromine (if the Br source is from BFRs) and less than 1,000 ppm (0.1%) of chlorine (if the Cl source is from CFRs or PVC or PVC ocpolymers). All printed circuit board (PCB) and substrate laminates contain bromine/chlorine total less than 1,500 ppm (0.1%) with a maximum chlorine of 900 ppm (0.09%) and maximum bromine being 900 ppm (0.09%). <sup>10</sup> Mobile Broadband Subject to service provider's broadband subscription and coverage area; additional charges apply. <sup>11</sup> Onsite Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis: Availability varies. Other conditions apply. <sup>12</sup> Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions. <sup>13</sup> GB means 1 billion bytes and TB equals 1 trillion bytes; significant system memory may be used to support graphics, depending on system memory size and other factors. <sup>14</sup> Miracast Wireless Technology: Requires a negative media adapter (sold separately) and an HDMI or composite AV-enabled display. <sup>15</sup> Intel Wireless Display: Requires an Intel wireless card, a compatible media adapter (sold separately) and an HDMI or composite AV-enabled display.