## **OVERVIEW**

	5 6 7 8 
1. Thunderbolt 4	5. Headphone / microphone combo jack (3.5mm)
2. Thunderbolt 4	6. Nano-SIM card slot *
3. USB 3.2 Gen 1	7. USB 3.2 Gen 1 (Always On)
4. HDMI 2.0	8. Kensington Nano Security Slot

Notes:

• Ports with \* are only available on selected models

## PERFORMANCE

## **Processor**

## **Processor Family**

11th Generation Intel<sup>®</sup> Core<sup>™</sup> i5 / i7 Processor

## Processor

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core i5-1135G7	4	8	2.4GHz	4.2GHz	8MB	LPDDR4x-4266	Intel Iris® Xe Graphics
Core i5-1145G7	4	8	2.6GHz	4.4GHz	8MB	LPDDR4x-4266	Intel Iris Xe Graphics
Core i7-1165G7	4	8	2.8GHz	4.7GHz	12MB	LPDDR4x-4266	Intel Iris Xe Graphics
Core i7-1185G7	4	8	3.0GHz	4.8GHz	12MB	LPDDR4x-4266	Intel Iris Xe Graphics

## **Operating System**

### **Operating System**

- Windows<sup>®</sup> 10 Home 64
- Windows 10 Pro 64
- Fedora Linux
- Linux
- Ubuntu Linux
- No operating system

## Graphics

## Graphics

Graphics Graphics				om
Graphics	Туре	Memory	Key Features	
Intel Iris Xe Graphics	Integrated	Shared	DirectX® 12	
Monitor Support			201	29 Jr.

## **Monitor Support**

### Monitor Support<sup>[1]</sup>

Supports up to 4 independent displays via native display and 3 external monitors; supports external monitors via Thunderbolt<sup>™</sup> (5K@60Hz) or HDMI<sup>®</sup> (up to 4K@60Hz)

Notes:

1. Refresh rates >60hz also supported, however max resolution will be limited

## Chipset

## Chipset

Intel SoC (System on Chip) platform

## Memory

### Max Memory<sup>[1]</sup>

- 8GB soldered memory, not upgradable
- . 16GB soldered memory, not upgradable
- 32GB soldered memory, not upgradable

### **Memory Slots**

Memory soldered to systemboard, no slots, 8-channel

### **Memory Type**

LPDDR4x-4266

Notes:

## Storage

### **Storage Support**

<sup>1.</sup> The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

Lenovo

One drive, up to 2TB M.2 2280 SSD

### Storage Slot

One M.2 2280 PCIe Gen 4x4 slot, supports M.2 2280 SSD

## Storage Type

Disk Type	Interface	Security
M.2 2280 SSD	PCIe NVMe, PCIe x4	Opal2
M.2 2280 SSD	PCIe NVMe, PCIe 4.0 x4 Performance	Opal2

## **Removable Storage**

Optical

None

### **Card Reader**

No card reader

## Multi-Media

### **Audio Chip**

High Definition (HD) Audio, Realtek® ALC3306 codec

### Speakers

Stereo speakers, 2W x2 and 0.8W x2, Dolby® Atmos®

## Microphone

Four array microphones, 360° far-field

### Camera

- 720p, with privacy shutter, fixed focus
- IR & 720p hybrid, with privacy shutter, fixed focus

## **Battery**

### Battery

Integrated Li-Polymer 57Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter

## Max Battery Life<sup>[1]</sup>

MobileMark® 2014: 21.3 hr MobileMark 2018: 16.7 hr JEITA 2.0: 26.0 hr

Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, and/or JEITA 2.0 battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

## **Power Adapter**

#### Power Adapter<sup>[1]</sup>

- 45W USB-C AC adapter
- 65W USB-C slim AC adapter
- 65W USB-C AC adapter
- No power adapter

#### Notes:

1. No power adapter is for special bid only

## DESIGN

## Display

	-	
Dis	spla	<b>y</b> <sup>[2]</sup>

Size Resolution Touch Type Brightness Surface Aspect Contrast Color Viewing Key Feat
--

# Lenovo

PSREF Product Specifications Reference

						Ratio	Ratio	Gamut	Angle	
14.0″	WUXGA (1920x1200)	None	IPS	400 nits	Anti- glare	16:10	1000:1	100% sRGB	170°	Low power, low blue light
14.0″	WUXGA (1920x1200)	Multi- touch	IPS	400 nits	Anti- glare	16:10	1000:1	100% sRGB	170°	Low power, low blue light
14.0″	WUXGA (1920x1200)	Multi- touch	IPS	500 nits	Anti- glare	16:10	1000:1	100% sRGB	170°	Low power, ThinkPad® Privacy Guard
14.0″	WQUXGA (3840x2400)	None	IPS	500 nits	Glossy	16:10	1500:1	100% DCI-P3	170°	Low blue light

#### Touchscreen

- Capacitive-type on-cell multi-touch, supports 10-point touch
- Non-touch

#### Notes:

- 1. California Electronic Waste Recycling Fee
- In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to https://www.calrecycle.ca.gov/Electronics/Consumer
- 2. In marketing terms, WUXGA is FHD+ and WQUXGA is UHD+

## **Input Device**

### Keyboard

6-row, spill-resistant, multimedia Fn keys with Unified Communications controls

#### **Keyboard Backlight**

LED backlight

#### UltraNav™

TrackPoint® pointing device and glass surface multi-touch touchpad

## Mechanical

### Dimensions (WxDxH)

315 x 221.6 x 14.9 mm (12.4 x 8.72 x 0.59 inches)

### Weight<sup>[1]</sup>

1.133 kg (2.49 lbs)

#### **Case Color**

- Black, paint
- Black, weave

#### **Case Material**

Carbon fiber (top), magnesium alloy (bottom)

Notes:

1. The system weight varies depending on configurations

## CONNECTIVITY

## Network

### Onboard Ethernet

Ethernet support via optional Lenovo USB-C to Ethernet Adapter

## WLAN + Bluetooth™[1]

Intel Wi-Fi 6 AX201, 802.11ax 2x2 Wi-Fi + Bluetooth 5.2

## WWAN

- Wireless WAN upgradable to 4G
- Integrated Mobile Broadband 4G LTE, Quectel EM120R-GL, M.2 card, with embedded eSIM functionality
- Qualcomm<sup>®</sup> Snapdragon<sup>™</sup> X55 5G Modem M.2 card RF System with embedded eSIM functionality
- No support

## SIM Card

No SIM card inbox

### NFC

- Near Field Communication
- No support

Notes:

1. Intel WiFi 6 full features might be limited by country level restrictions Bluetooth 5.2 is supported with driver version 22.30 and later

## Ports<sup>[1]</sup>

## Standard Ports<sup>[2]</sup>

- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 2x Thunderbolt 4 / USB4<sup>™</sup> 40Gbps (support data transfer, Power Delivery 3.0 and DisplayPort<sup>™</sup> 1.4a)
- 1x HDMI 2.0
- 1x headphone / microphone combo jack (3.5mm)

### **Optional Ports**

1x Nano-SIM card slot (WWAN model)

### Notes:

- 1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s;
  - USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formely USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;
  - USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formely USB 3.1 Gen 2): 10 Gbit/s;
  - USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;
- Thunderbolt 3: 40 Gbit/s;
- FireWire 400: 400 Mbit/s; FireWire 800: 800 Mbit/s
- 2. Depending on many factors, actual data transfer speed may be lower than theoretical speed

## **Monitor Cable**

## **Monitor Cable**

- Lenovo HDMI to VGA Monitor Adapter
- No monitor cable

## **SECURITY & PRIVACY**

## **Security**

### Security Chip

- Discrete TPM 2.0, TCG certified
- Firmware TPM 2.0 integrated in chipset
- Disabled (in some regions)

### **Physical Locks**

Kensington<sup>®</sup> Nano Security Slot

### Smart Card Reader

No smart card reader

## Fingerprint Reader

Touch style fingerprint reader on power button, match-on-chip

### **BIOS Security**

- Supervisor password
- Power-on password
- NVMe password
- Self-healing BIOS

### **Other Security**

- Camera privacy shutter
- (Optional) IR camera for Windows Hello

Lenovo

- (Optional) Privacy Guard with Privacy Alert
- (Optional) Human Presence Detection

## MANAGEABILITY

## System Management

## System Management

- Intel vPro Technology, DASH
- None

## SERVICE

## Warranty

## Base Warranty<sup>[1]</sup>

- 1-year depot service
- 1-year depot with 2-year system board service
- 1-year limited onsite service
- 1-year + 2-year depot service
- 1-year + 2-year limited onsite service
- 3-year (1-yr battery) depot service
- 3-year (1-yr battery) limited onsite service
- No base warranty

Notes:

1. No base warranty is for speical bid only

## **ENVIRONMENTAL**

## **Operating Environment**

Temperature<sup>[1]</sup>

- Storage and transportation in original shipping package: -20°C (-4°F ) to 60°C (140°F)
- Storage without package: 5°C (41°F) to 43°C (109°F)
- Operating: 5°C (41°F) to 35°C (95°F)

## Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

## Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

1. When you charge the battery, its temperature must be no lower than 10°C (50°F)

## ACCESSORIES

## **Bundled Accessories**

## **Bundled Accessories**

- Lenovo USB-C to Ethernet Adapter
- None

## CERTIFICATIONS

## **Green Certifications**

## **Green Certifications**

- EPEAT™ Gold
- ENERGY STAR<sup>®</sup> 8.0

- TCO
- RoHS compliant

## **Other Certifications**

## Mil-Spec Test

MIL-STD-810H military test passed

## **Other Certifications**

- (Optional) Intel Evo™ Platform
- (Optional) TÜV Rheinland Low Blue Light
- TÜV Rheinland Dynamic Privacy Filter (DPF) Certification



intel



intel





intel



intel



ThinkPad X1 Carbon Gen 9 - July 19 2021

intel