# **Inspiron 14 Plus 7430**

Owner's Manual

LaptopyAMG.com




# **Contents**

Chapter 1: Views of Inspiron 14 Plus 7430	7
- Right	
Left	7
Тор	8
Front	10
Bottom	12
Service Tag	12
Battery charge and status light	13
Chapter 2: Set up your Inspiron 14 Plus 7430	14
Chapter 3: Specifications of Inspiron 14 Plus 7430	17
Dimensions and weight	
Processor	
Chipset	
Operating system	
Memory	
External ports	19
Internal slots	20
Wireless module	20
Audio	20
Storage	
Media-card reader	21
Keyboard	22
Keyboard shortcuts of Inspiron 14 Plus 7430	22
Camera	23
Touchpad	24
Power adapter	24
Battery	25
Display	26
Fingerprint reader (optional)	27
GPU—Integrated	27
GPII—Discrete	27

# Views of Inspiron 14 Plus 7430

### Right



#### 1. Universal audio jack

Connect headphones or a headset (headphone and microphone combo).

#### 2. microSD-card slot

Reads from and writes to the microSD card. The computer supports the following card types:

- microSecure Digital (microSD)
- microSecure Digital High Capacity (microSDHC)
- microSecure Digital Extended Capacity (microSDXC)

#### 3. Air vents

Air vents provide ventilation for your computer. Clogged air vents can cause overheating and can affect your computer's performance and potentially cause hardware issues. Keep the air vents clear of obstructions and clean them regularly to prevent build-up of dust and dirt. For more information about cleaning air vents, search for articles in Knowledge Base Resource at www.dell.com/support.

#### 4. USB 3.2 Gen 1 port

Connect devices such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

### Left



#### 1. Power-adapter port

Connect a power adapter to provide power to your computer and charge the battery.

#### 2. Air vents

Air vents provide ventilation for your computer. Clogged air vents can cause overheating and can affect your computer's performance and potentially cause hardware issues. Keep the air vents clear of obstructions and clean them regularly to prevent build-up of dust and dirt. For more information about cleaning air vents, search for articles in Knowledge Base Resource at www.dell.com/support.

#### 3. HDMI 2.0 port

Connect to a TV, external display or another HDMI-in enabled device. Provides video and audio output.

#### 4. USB 3.2 Gen 1 port

Connect devices such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

#### 5. Thunderbolt 4 port with Power Delivery and DisplayPort

Supports USB4, DisplayPort 1.4, Thunderbolt 4 and also enables you to connect to an external display using a display adapter. Provides data transfer rates of up to 40 Gbps for USB4 and Thunderbolt 4.

- NOTE: You can connect a Dell Docking Station to the Thunderbolt 4 ports. For more information, search in the Knowledge Base Resource at www.dell.com/support.
- i) NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.
- (i) NOTE: USB4 is backward compatible with USB 3.2, USB 2.0, and Thunderbolt 3.
- i NOTE: Thunderbolt 4 supports two 4K displays or one 8K display.

#### 6. Power and battery-status light

Indicates the power state and battery state of the computer.


Solid white—Power adapter is connected and the battery is charging.

Solid amber—Battery charge is low or critical.

Off—Battery is fully charged.

NOTE: On certain computer models, the power and battery-status light are also used for diagnostics. For more information, see the *Troubleshooting* section in your computer's *Service Manual*.

### Top



#### 1. Privacy shutter


Slide the privacy shutter to cover the camera lens and protect your privacy when the camera is not in use.

#### 2. Power button with optional fingerprint reader

Press to turn on the computer if it is turned off, in sleep state, or in hibernate state.

When the computer is turned on, press the power button to put the computer into sleep state; press and hold the power button for four seconds to force shut-down the computer.

If the power button has a fingerprint reader, place your finger on the power button to log in.



- NOTE: The highlighted area indicates the actual active fingerprint reader area and the image is for illustration purposes only.
- NOTE: You can customize power-button behavior in Windows. For more information, see *Me and My Dell* at www.dell.com/support/manuals.

#### 3. Right-click area

Press to right-click.

#### 4. Left-click area

Press to left-click.

#### 5. Precision touchpad

Move your finger on the touchpad to move the mouse pointer. Tap to left-click and two fingers tap to right-click.

### **Front**




Figure 1. Front view with FHD camera

#### 1. Left microphone

Provides digital sound input for audio recording and voice calls.

#### 2. Privacy shutter

Slide the privacy shutter to cover the camera lens and protect your privacy when the camera is not in use.

#### 3. Camera

Enables you to video chat, capture photos, and record videos.

#### 4. Camera-status light

Turns on when the camera is in use.

#### 5. Right microphone

Provides digital sound input for audio recording and voice calls.

#### 6. Display panel

Provides visual output to the user.




Figure 2. Front view with FHD RGB+IR camera

#### 1. Left microphone

Provides digital sound input for audio recording and voice calls.

#### 2. Infrared emitter

Emits infrared light, which enables the infrared camera to sense and track motion.

#### 3. Infrared camera

Enhances security when paired with Windows Hello face authentication.

#### 4. Privacy shutter

Slide the privacy shutter to cover the camera lens and protect your privacy when the camera is not in use.

#### 5. Camera

Enables you to video chat, capture photos, and record videos.

#### 6. Camera-status light

Turns on when the camera is in use.

#### 7. Ambient-light sensor

The sensor detects the ambient light and automatically adjusts the keyboard backlight and display brightness.

#### 8. Right microphone

Provides digital sound input for audio recording and voice calls.

#### 9. Display panel

Provides visual output to the user.

### **Bottom**



#### 1. Right speaker

Provides audio output.

#### 2. Service Tag label

The Service Tag is a unique alphanumeric identifier that enables Dell service technicians to identify the hardware components in your computer and access warranty information.

#### 3. Air vents

Air vents provide ventilation for your computer. Clogged air vents can cause overheating and can affect your computer's performance and potentially cause hardware issues. Keep the air vents clear of obstructions and clean them regularly to prevent build-up of dust and dirt. For more information about cleaning air vents, search for articles in Knowledge Base Resource at www.dell.com/support.

#### 4. Left speaker

Provides audio output.

### **Service Tag**

The service tag is a unique alphanumeric identifier that allows Dell service technicians to identify the hardware components in your computer and access warranty information.



# Battery charge and status light

The following table lists the battery charge and status light behavior of your inspiron 14 Plus 7430.

Table 1. Battery charge and status light behavior

Power Source	LED Behavior	7,	System Power State	Battery Charge Level
AC Adapter	Off	J	S0 - S5	Fully Charged
AC Adapter	Solid White	?	S0 - S5	< Fully Charged
Battery	Off		S0 - S5	11-100%
Battery	Solid Amber (590+/-3 nm	)	S0 - S5	< 10%

- S0 (ON) System is turned on.
- S4 (Hibernate) The system consumes the least power compared to all other sleep states. The system is almost at an OFF state, expect for a trickle power. The context data is written to hard drive.
- S5 (OFF) The system is in a shutdown state.

# Set up your Inspiron 14 Plus 7430

#### About this task


i NOTE: The images in this document may differ from your computer depending on the configuration you ordered.

#### **Steps**

1. Connect the power adapter and press the power button.

LaptopyANG.com





- NOTE: The battery may go into power-saving mode during shipment to conserve charge on the battery. Ensure that the power adapter is connected to your computer when it is turned on for the first time.
- 2. Finish Windows setup.

Follow the on-screen instructions to complete the setup. When setting up, Dell recommends that you:

- Connect to a network for Windows updates.
- NOTE: If connecting to a secured wireless network, enter the password for the wireless network access when prompted.

- If connected to the Internet, sign in with or create a Microsoft account. If not connected to the Internet, create an offline account.
- On the **Support and Protection** screen, enter your contact details.
- $\textbf{3.} \ \ \mathsf{Locate} \ \mathsf{and} \ \mathsf{use} \ \mathsf{Dell} \ \mathsf{apps} \ \mathsf{from} \ \mathsf{the} \ \mathsf{Windows} \ \mathsf{Start} \ \mathsf{menu} -\!\!\!-\!\!\mathsf{Recommended}.$

Table 2. Locate Dell apps

Resources	Description
DELL	My Dell  Centralized location for key Dell applications, help articles, and other important information about your computer. It also notifies you about the warranty status, recommended accessories, and software updates if available.
	SupportAssist SupportAssist proactively and predictively identifies hardware and software issues on your computer and automates the engagement process with Dell Technical support. It addresses performance and stabilization issues, prevents security threats, monitors, and detects hardware failures. For more information, see SupportAssist for Home PCs User's Guide at www.dell.com/serviceabilitytools. Click SupportAssist and then, click SupportAssist for Home PCs.  (i) NOTE: In SupportAssist, click the warranty expiry date to renew or upgrade your warranty.
<b>L</b> O	Dell Update  Updates your computer with critical fixes and latest device drivers as they become available. For more information on using Dell Update, search in the Knowledge Base Resource at www.dell.com/support.
	Dell Digital Delivery  Download software applications, which are purchased but not preinstalled on your computer. For more information on using Dell Digital Delivery, search in the Knowledge Base Resource at www.dell.com/support.

# **Specifications of Inspiron 14 Plus 7430**

## **Dimensions and weight**

The following table lists the height, width, depth, and weight of your Inspiron 14 Plus 7430.

Table 3. Dimensions and weight

Description	Values
Height:	·
Front height	15.97 mm (0.62 in.)
Rear height	18.99 mm (0.74 in.)
Width	314 mm (12.36 in.)
Depth	226.60 mm (8.92 in.)
Weight (maximum)	1.77 kg (3.90 lb).  (i) NOTE: The weight of your computer depends on the configuration ordered and manufacturing variability.

### **Processor**

The following table lists the details of the processors supported by your Inspiron 14 Plus 7430.

Table 4. Processor

Description	Option one	Option two	Option three	Option four
Processor type	13 <sup>th</sup> Generation Intel Core i7-13700H	13 <sup>th</sup> Generation Intel Core i7-13620H	13 <sup>th</sup> Generation Intel Core i5-13500H	13 <sup>th</sup> Generation Intel Core i5-13420H
Processor wattage	45 W	45 W	45 W	45 W
Processor total core count	14	10	12	8
Performance-cores	6	6	4	4
Efficient-cores	8	4	8	4
Processor total thread counts	20	16	16	12
(i) NOTE: Intel® Hyper- Threading Technology is only available on Performance-cores.				
Processor speed	Up to 5 GHz	Up to 4.90 GHz	Up to 4.70 GHz	Up to 4.60 GHz
Performance-cores frequen	cy			

Table 4. Processor (continued)

Des	scription	Option one	Option two	Option three	Option four
	Processor base frequency	2.40 GHz	2.40 GHz	2.60 GHz	2.10 GHz
	Maximum turbo frequency	5 GHz	4.90 GHz	4.70 GHz	4.60 GHZ
Effi	cient-cores frequency				
	Processor base frequency	1.80 GHz	1.80 GHz	1.90 GHz	1.50 GHz
	Maximum turbo frequency	3.70 GHz	3.60 GHz	3.50 GHz	3.40 GHz
Pro	cessor cache	24 MB	24 MB	18 MB	12 MB
Integrated graphics		Intel UHD Graphics (for systems shipped with a single-channel memory configuration)  Intel Iris Xe Graphics (for systems shipped with a dual-channel memory configuration)	Intel UHD Graphics	Intel UHD Graphics (for computers shipped with a single- channel memory configuration) Intel Iris Xe Graphics (for computers shipped with a dual- channel memory configuration)	Intel UHD Graphics

## Chipset

The following table lists the details of the chipset supported by your Inspiron 14 Plus 7430.

#### Table 5. Chipset

Description	Values
Chipset	Integrated in the processor
Processor	13 <sup>th</sup> Generation Intel Core i5/i7
DRAM bus width	128-bit
Flash EPROM	32 MB
PCle bus	Up to Gen4

# **Operating system**

Your Inspiron 14 Plus 7430 supports the following operating systems:

- Windows 11 Pro
- Windows 11 Pro National Academic
- Windows 11 Home

## **Memory**

The following table lists the memory specifications of your Inspiron 14 Plus 7430.

#### Table 6. Memory specifications

Description	Values	
Memory slots	Integrated on the system board.	
Memory type	<ul><li>LPDDR5x</li><li>LPDDR5</li></ul>	
Memory speed	4800 MHz	
Maximum memory configuration	32 GB	
Minimum memory configuration	16 GB	
Memory configurations supported	<ul> <li>16 GB, 2 x 8 GB, LPDDR5x, 4800 MHz, integrated, dual-channel</li> <li>32 GB, 2 x 16 GB, LPDDR5x, 4800 MHz, integrated, dual-channel</li> <li>16 GB, 2 x 8 GB, LPDDR5, 4800 MHz, integrated, dual-channel</li> <li>32 GB, 2 x 16 GB, LPDDR5, 4800 MHz, integrated, dual-channel</li> </ul>	

## **External ports**

The following table lists the external ports on your Inspiron 14 Plus 7430.

Table 7. External ports

Description	Values
USB ports	<ul> <li>Two USB 3.2 Gen 1 ports</li> <li>One Thunderbolt 4 port with DisplayPort and Power Delivery</li> </ul>
Audio port	One universal audio jack
Video port/ports	<ul> <li>One HDMI 2.0 port</li> <li>One Thunderbolt 4 port with DisplayPort and Power Delivery         <ul> <li>NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect to a DisplayPort device.</li> </ul> </li> </ul>
Media-card reader	One microSD-card slot
Power-adapter port	<ul> <li>One 4.50 mm x 2.90 mm DC-in port</li> <li>One Thunderbolt 4 port with DisplayPort and Power Delivery</li> </ul>
Security-cable slot	Not supported

### **Internal slots**

The following table lists the internal slots of your Inspiron 14 Plus 7430.

Table 8. Internal slots

Description	Values
M.2	<ul> <li>One M.2 2230/2280 slot for PCle solid-state drive</li> <li>One M.2 2230 slot for WiFi and Bluetooth combo card</li> <li>NOTE: To learn more about the features of different types of M.2 cards, search in the Knowledge Base Resource at www.dell.com/support.</li> </ul>

### Wireless module

The following table lists the Wireless Local Area Network (WLAN) modules supported on your Inspiron 14 Plus 7430.

Table 9. Wireless module specifications

Description	Option one	Option two
Model number	Intel AX201	Intel AX211
Transfer rate	Up to 2400 Mbps	Up to 2400 Mbps
Frequency bands supported	2.40 GHz/5 GHz	2.40 GHz/5 GHz/6 GHz
Wireless standards	<ul> <li>WiFi 802.11a/b/g</li> <li>Wi-Fi 4 (WiFi 802.11n)</li> <li>Wi-Fi 5 (WiFi 802.11ac)</li> <li>Wi-Fi 6 (WiFi 802.11ax)</li> </ul>	<ul> <li>WiFi 802.11a/b/g</li> <li>Wi-Fi 4 (WiFi 802.11n)</li> <li>Wi-Fi 5 (WiFi 802.11ac)</li> <li>Wi-Fi 6E (WiFi 802.11ax)</li> </ul>
Encryption	64-bit/128-bit WEP     AES-CCMP     TKIP	<ul><li>64-bit/128-bit WEP</li><li>AES-CCMP</li><li>TKIP</li></ul>
Bluetooth wireless card	Bluetooth 5.2 wireless card  i NOTE: Particular versions of Microsoft Windows may not support the full Bluetooth wireless card functionality.	Bluetooth 5.3 wireless card  i NOTE: Particular versions of Microsoft Windows may not support the full Bluetooth wireless card unctionality.

### **Audio**

The following table lists the audio specifications of your Inspiron 14 Plus 7430.

#### Table 10. Audio specifications

Description	Values
Audio controller	Waves MaxxAudio Pro and Dolby Atmos Core
Stereo conversion	Supported
Internal audio interface	High definition audio interface

Table 10. Audio specifications (continued)

Description		Values	
External audio interface		One Universal Audio Jack     One HDMI 2.0 port	
Number of speakers		2	
Internal-speaker amplifier		Supported	
External volume contr	rols	Keyboard shortcut controls	
Speaker output:			
	Average speaker output	2 W x 2 = 4	
Peak speaker output		2.5 W x 2 = 5	
Subwoofer output		Not supported	
Microphone		Digital-array microphones in camera assembly	

## **Storage**

This section lists the storage options on your Inspiron 14 Plus 7430.

Your Inspiron 14 Plus 7430 supports

• One M.2 2230/2280 solid-state drive

The M.2 2230/2280 solid-state drive is the primary drive of your computer.

**Table 11. Storage specifications** 

Storage type	Interface type	Capacity
M.2 2230 QLC, solid-state drive	PCle NVMe Gen4 x4, up to 64 Gbps	Up to 1 TB
M.2 2230, solid-state drive	PCIe NVMe Gen3 x4, up to 32 Gbps	Up to 1 TB
M.2 2230, solid-state drive	PCIe NVMe Gen4 x4, up to 64 Gbps	Up to 1 TB
M.2 2280, solid-state drive	PCIe NVMe Gen4 x4, up to 64 Gbps	Up to 2 TB

### Media-card reader

The following table lists the media cards supported by your Inspiron 14 Plus 7430.

Table 12. Media-card reader specifications

Description	Values
Media-card type	One microSD-card slot
Media-cards supported	<ul> <li>Micro Secure Digital (mSD)</li> <li>Micro Secure Digital High Capacity (mSDHC)</li> <li>Micro Secure Digital Extended Capacity (mSDXC)</li> </ul>
NOTE: The maximum capacity supported by the modia card reader varies depending on the standard of	

NOTE: The maximum capacity supported by the media-card reader varies depending on the standard of the media card installed in your computer.

### Keyboard

The following table lists the keyboard specifications of your Inspiron 14 Plus 7430.

Table 13. Keyboard specifications

Description	Values	
Keyboard type	Standard backlit keyboard	
Keyboard layout	QWERTY	
Number of keys	<ul><li>United States and Canada: 79 keys</li><li>United Kingdom: 80 keys</li><li>Japan: 83 keys</li></ul>	
Keyboard size	X=19.05 mm key pitch Y=18.05 mm key pitch	
Keyboard shortcuts	Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key.  (i) NOTE: You can define the primary behavior of the function keys (F1–F12) by changing Function Key Behavior in BIOS setup program.  For more information, see Keyboard shortcuts.	

### Keyboard shortcuts of Inspiron 14 Plus 7430

NOTE: Keyboard characters may differ depending on the keyboard language configuration. Keys used for shortcuts remain the same across all language configurations.

Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. The symbol shown on the lower part of the key refers to the character that is typed out when the key is pressed. If you press shift and the key, the symbol shown on the upper part of the key is typed out. For example, if you press **2**, **2** is typed out; if you press **Shift** + **2**, **@** is typed out.

The keys F1-F12 at the top row of the keyboard are function keys for multi-media control, as indicated by the icon at the bottom of the key. Press the function key to invoke the task represented by the icon. For example, pressing F1 mutes the audio (refer to the table below).

However, if the function keys F1-F12 are needed for specific software applications, multi-media functionality can be disabled by pressing  $\mathbf{Fn} + \mathbf{Esc}$ . Subsequently, multi-media control can be invoked by pressing  $\mathbf{Fn}$  and the respective function key. For example, mute audio by pressing  $\mathbf{Fn} + \mathbf{F1}$ .

NOTE: You can also define the primary behavior of the function keys (F1–F12) by changing **Function Key Behavior** in BIOS setup program.

Table 14. List of keyboard shortcuts

Function key	Primary behavior
F1	Mute audio
F2	Decrease volume
F3	Increase volume
F4	Play/Pause
F5	Keyboard-backlight

Table 14. List of keyboard shortcuts (continued)

Function key	Primary behavior	
	NOTE: Toggle to cycle the keyboard backlight status through off, low-backlight, and high-backlight	
F6	Decrease brightness	
F7	Increase brightness	
F8	Switch to external display	
F10	Print screen	
F11	Home	
F12	End	

The  ${\bf Fn}$  key is also used with selected keys on the keyboard to invoke other secondary functions.

Table 15. Secondary behavior

Function key	Behavior	
Fn + B	Pause/Break	
Fn + S	Toggle scroll lock	
Fn + R	System request	
Fn + T	Toggle Ultra performance mode	
Fn + Right Ctrl	Open application menu	
Fn + /  i NOTE: Brazilian keyboard only	Open application menu	
Fn + Space bar	Open Emoji menu	
Fn + esc	Toggle fn-key lock	
Fn + Left arrow	Home	
Fn + Right arrow	End	

### Camera

The following table lists the camera specifications of your Inspiron 14 Plus 7430.

Table 16. Camera specifications

Description		Option one	Option two	
Number of cameras		One	Two	
Camera type		FHD camera	<ul><li>FHD RGB camera</li><li>IR camera</li></ul>	
Camera location		Front camera	Front camera	
Camera sensor type		CMOS sensor technology	CMOS sensor technology	
Can	Camera resolution:			
	Still image	2.07 megapixel	2.07 megapixel	
	Video	1920 x 1080 (FHD) at 30 fps	1920 x 1080 (FHD) at 30 fps	

Table 16. Camera specifications (continued)

Description		Option one	Option two		
Infra	Infrared camera resolution:				
	Still image	Not supported	0.23 megapixel		
	Video	Not supported	640 x 360 at 15 fps		
Diag	gonal viewing angle:				
	Camera	82 degrees	80 degrees		
	Infrared camera	Not supported	86.60 degrees		

# **Touchpad**

The following table lists the touchpad specifications of your Inspiron 14 Plus 7430.

Table 17. Touchpad specifications

Description	Values	
Touchpad resolution:	>300 dpi	
Touchpad dimensions:		
Horizontal	115 mm (4.53 in.)	
Vertical	80 mm (3.15 in.)	
	For more information about touchpad gestures available on Windows, see the Microsoft knowledge base article at support.microsoft.com.	

# Power adapter

The following table lists the power adapter specifications of your Inspiron 14 Plus 7430.

Table 18. Power adapter specifications

Des	cription	Option one	Option two	Option three
Тур	Type 90 W AC		130 W AC	100 W AC (Type-C)
Con	nector dimensions:	•		
	External diameter	4.50 mm (0.17 in.)	4.50 mm (0.17 in.)	Not applicable
	Internal diameter	2.90 mm (0.11 in.)	2.90 mm (0.11 in.)	Not applicable
Power-adapter dimensions:				
	Height	32 mm (1.25 in.)	25.40 mm (1 in.)	26.50 mm (1.04 in.)
	Width	52 mm (2.04 in.)	76.20 mm (3 in.)	60 mm (2.36 in.)
	Depth	128 mm (5.03 in.)	154.70 mm (6.09 in.)	122 mm (4.803 in.)
Input voltage 100 VAC-240 V		100 VAC-240 VAC	100 VAC-240 VAC	100 VAC-240 VAC

Table 18. Power adapter specifications (continued)

Description		Option one	Option two	Option three
Input frequency		50 Hz-60 Hz	50 Hz-60 Hz	50 Hz-60 Hz
Inpu	t current (maximum)	1.50 A	1.80 A	1.70 A
Output current (continuous)		4.62 A (continuous)	6.67 A (continuous)	<ul> <li>20 V / 5 A (continuous)</li> <li>15 V / 3 A (continuous)</li> <li>9 V / 3 A (continuous)</li> <li>5 V / 3 A (continuous)</li> </ul>
Rated output voltage		19.5 VDC	19.5 VDC	20 VDC / 15 VDC / 9 VDC / 5 VDC
Tem	perature range:			
	Operating	0°C to 40°C (32°F to 104°F)	0°C to 40°C (32°F to 104°F)	0°C to 40°C (32°F to 104°F)
	Storage	-40°C to 70°C (-40°F to 158°F)	-40°C to 70°C (-40°F to 158°F)	-40°C to 70°C (-40°F to 158°F)

CAUTION: Operating and storage temperature ranges may differ among components, so operating or storing the device outside these ranges may impact the performance of specific components.

### **Battery**

The following table lists the battery specifications of your Inspiron 14 Plus 7430.

**Table 19. Battery specifications** 

Description		Option one	Option two
Battery type		4-cell 54 Wh polymer	4-cell 64 Wh polymer
Battery voltage		15 VDC	15.20 VDC
Battery weight (maximum)		0.23 kg (0.51 lb)	0.26 kg (0.57 lb)
Battery dimensions:			
	Height	5.75 mm (0.23 in.)	5.75 mm (0.23 in.)
	Width	271.90 mm (10.70 in.)	271.90 mm (10.70 in.)
	Depth	82 mm (3.23 in.)	82 mm (3.23 in.)
Temperature range:	•		
	Operating	<ul> <li>Charge: 0°C to 45°C (32°F to 113°F)</li> <li>Discharge: 0°C to 70°C (32°F to 128°F)</li> </ul>	<ul> <li>Charge: 0°C to 45°C (32°F to 113°F)</li> <li>Discharge: 0°C to 70°C (32°F to 128°F)</li> </ul>
	Storage	-20°C to 60°C (-4°F to 140°F)	-20°C to 60°C (-4°F to 140°F)
Battery operating time	•	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.

Table 19. Battery specifications (continued)

Description	Option one	Option two
Battery charging time (approximate)  (i) NOTE: Control the charging time, duration, start and end time, and so on using the Dell Power Manager application. For more information about Dell Power Manager, search in the Knowledge Base Resource at www.dell.com/support.	<ul> <li>0°C to 15°C: 4 hours</li> <li>16°C to 50°C: 3 hours</li> <li>(when the system is turned off)</li> </ul>	<ul> <li>0°C to 15°C: 4 hours</li> <li>16°C to 50°C: 3 hours</li> <li>(when the system is turned off)</li> </ul>
Coin-cell battery	N/A	N/A

CAUTION: Operating and storage temperature ranges may differ among components, so operating or storing the device outside these ranges may impact the performance of specific components.

CAUTION: Dell recommends that you charge the battery regularly for optimal power consumption. If your battery charge is completely depleted, connect the power adapter, turn on your computer, and then restart your computer to reduce the power consumption.

### **Display**

The following table lists the display specifications of your Inspiron 14 Plus 7430.

#### Table 20. Display specifications

Description	Values
Display type	14-inch, 2.5K with Dolby Vision
Touch options	Not supported
Display-panel technology	Wide Viewing Angle (WVA)
Display-panel dimensions (active area):	
Height	301.59 mm (11.87 in.)
Width	188.50 mm (7.42 in.)
Diagonal	355.65 mm (14 in.)
Display-panel native resolution	2560 x 1600
Luminance (typical)	300 nits
Megapixels	4.09 M
Color gamut	100% sRGB
Pixels Per Inch (PPI)	216
Contrast ratio (min)	1000:1 minimum (1200:1 typical)
Response time (max)	35 ms
Refresh rate	48~90 Hz

Table 20. Display specifications (continued)

Description	Values
Horizontal view angle	<ul><li>+/- 80 degrees (minimum)</li><li>+/- 85 degrees (typical)</li></ul>
Vertical view angle	<ul><li>+/- 80 degrees (minimum)</li><li>+/- 85 degrees (typical)</li></ul>
Pixel pitch	0.134 mm
Power consumption (maximum)	5.30 W @ mosaic pattern 60 Hz
Anti-glare vs glossy finish	Anti-glare

# Fingerprint reader (optional)

The following table lists the specifications of the optional fingerprint reader of your Inspiron 14 Plus 7430.

i NOTE: The fingerprint reader is located on the power button.

Table 21. Fingerprint reader specifications

Description	Values	
Fingerprint-reader sensor technology	Trans-capacitive sensing	
Fingerprint-reader sensor resolution	500 dpi	
Fingerprint-reader sensor pixel size	108 x 88 pixel	

# **GPU—Integrated**

The following table lists the specifications of the integrated Graphics Processing Unit (GPU) supported by your Inspiron 14 Plus 7430.

#### Table 22. GPU—Integrated

Controller	Memory size	Processor
Intel UHD Graphics	Shares system memory	13th Generation Intel Core i5/i7
Intel Iris X <sup>e</sup> Graphics	Shares system memory	13th Generation Intel Core i5/i7

### **GPU**—Discrete

The following table lists the specifications of the discrete Graphics Processing Unit (GPU) supported by your Inspiron 14 Plus 7430.

#### Table 23. GPU—Discrete

Controller	Memory size	Memory type
NVIDIA GeForce RTX 3050	6 GB	GDDR6
NVIDIA GeForce RTX 4050	6 GB	GDDR6